

Belisha Beacon AVG 4 Halo Package



This Package consists of the re-designed AVG 4 Gallery

AVG4 Anti-Vandal Gallery

This re-designed AVG, is a cast aluminium gallery that holds the Polyethylene globe in place. It fits on to a standard 76mm pole and is secured via 3 hidden grub screws. The AVG has allocated space for the addition of a Halo, Pedestrian Spotlight and Photocell.

The AVG4 Gallery is IP54 rated, Cast Aluminium Black (RAL9005) powder coated finish gallery and the blanking plates are nylon finished in black (RAL9005).


C&R Outdoor Lighting Ltd

www.crlighting.co.uk



LED PoleStar Light Engine

The design and positioning of the LED PoleStar Light Engine ensures that the whole beacon is illuminated equally. The PoleStar Light Engine is installed once all other connections are made and before the AVG4 globe is installed.



C&R Outdoor Lighting Ltd

www.crlighting.co.uk

AVG4 Halo

Designed to meet TSRG&D, the AVG4 Halo is constructed from high-quality cast aluminium, utilising 153 LEDs on each side ensuring high visibility for all road users and pedestrians.

The Halo is bright enough to be noticed by road users and pedestrians, but directional enough to be limited at an angle to prevent glare and light pollution. The cast aluminium body and clear lens is designed to IP66. The Halo fits into the AVG to ensure a waterproof seal.



C&R Outdoor Lighting Ltd

www.crlighting.co.uk

AVG4 Amber Globes


The AVG4 Amber globes are 300mm diameter.

Our globes are made from MDPE Polyethylene, a material that has UV protection that is resistant to fading and degradation from sunlight and typically has a 7 Year UV resistance. This means after 7 years the plastic has 50% of the original strength, after a further 7 years, this will half again.

The globe is connected to the AVG4 via a locking mechanism and screws to secure in place.

The globe is illuminated via a CELstar3.

The connection between the Globe and the AVG is capable of withstanding water and dust to IP54 standard.



Please Note this item comes pre-wired with 4m of flex.

C&R Outdoor Lighting Ltd

www.crlighting.co.uk